

QP CODE: 22100532



Reg No

Name :

# B.Sc DEGREE (CBCS)REGULAR / REAPPEARANCE EXAMINATIONS, APRIL 2022 Third Semester

### Core Course - PH3CRT03 - OPTICS, LASER AND FIBER OPTICS

Common to B.Sc Physics Model I, B.Sc Physics Model II Applied Electronics, B.Sc Physics Model II Computer Applications & B.Sc Physics Model III Electronic Equipment Maintenance

2017 Admission Onwards

A7E4A114

Time: 3 Hours

Max. Marks: 60

#### Part A

Answer any **ten** questions.

Each question carries **1** mark.

- 1. Can interference occur with sound waves? Explain.
- 2. In a double slit experiment, what will happen to the interference pattern if the slit seperation is increased?
- 3. Write the condition for obtaining dark fringes in interference pattern due to transmitted light.
- 4. What will happen in Newton's rings experiment when air in the interface is replaced with a transparent liquid?
- 5. State two differences between interference and diffraction.
- 6. The fifth secondary maximum is not obtained in the diffraction pattern of a double slit. What should have been the ratio of the slit width to slit seperation?
- 7. Brewster's law is not applicable for metallic surfaces. Why?
- 8. Write any two methods for producing plane polarized light.
- 9. Can we obtain light amplification in the absence of stimulated emission? Explain.
- 10. What are requirements for population inversion and laser action?
- 11. Draw the energy level diagram of a three level laser system.
- 12. What are the basic parts of an optical fiber?



#### Part B

## Answer any **six** questions. Each question carries **5** marks.

- 13. A parallel beam of light of wavelength 589nm is incident on a glass plate having refractive index  $\mu$ =1.5 such that the angle of refraction in the plate is 60<sup>0</sup>. Calculate the smallest thickness of glass plate which will appear dark by reflected light.
- 14. A wedge shaped air film, having an angle of 40 seconds is illuminated by monochromatic light and fringes are observed vertically through a microscope. The distance measured between the consecutive bright fringes is 0.12 x 10<sup>-2</sup> m. Calculate the wavelength of light used.
- 15. A shift of 100 circular fringes is observed, when the movable mirror of Michelson's interferometer is shifted by 0.0295mm.Calculate the wavelength of light.
- 16. If a zone plate has to have a principle focal length of 50cm corresponding to wavelength  $6x10^{-5}$ cm, obtain an expression for the radii of different zones. What would be its principal focal length for wavelength=  $5x10^{-5}$  cm?
- 17. What will be the Brewster angle for a glass slab of refractive index 1.5 immersed in water of refractive index 1.33.
- 18. a) Is it possible to convert a half wave plate to a quarter wave plate? Explain.b) A half waveplate constructed for a wavelength 380 nm. For what wave length does it work as a quarter wave plate?
- 19. What is the population ratio between two energy levels in thermal equilibrium? A He-Ne laser has an emission wavelength of 639 nm at 300 K. Find the ratio of populations of the two states in this laser.
- 20. The total number of lasing particles (ions, electrons, holes etc.) in a laser are 2.8×10<sup>19</sup>. If the Laser emits radiation of wavelength 700<sub>nm</sub>, then calculate the energy of one emitted photon and total energy available per pulse. Assume the efficiency of Laser as 100%.
- A step index fiber has a core diameter 29mm, refractive index 1.52 and fractional refractive index of 0.0007. It is operated with a wavelength of 1.3 mm. Find the normalized frequency or V number of the fiber and the number of modes the fiber will support.

 $(6 \times 5 = 30)$ 



- 22. State the principle of superposition of waves. Define interference and derive the conditions for  $I_{\text{max}}$  and  $I_{\text{min}}$ . What do you mean by 'visibility of fringes'?
- 23. With the help of a neat diagram explain the Fresnel diffraction at a straight edge. Show that the separation between successive maxima goes on increasing along the region of the geometric shadow. Also obtain the expression from wavelength of incident light.
- 24. Obtain the expression for intensity distribution of a monochromatic light in a Fraunhofer diffraction at a single slit. Identify the maxima and minima of the distribution.
- 25. A step index fiber with core diameter of 30 and  $\mu$ m n<sub>1</sub> =1.530 and n<sub>2</sub> =1.515 show absorption of 0.0002% of incident power at each reflection on the core-clad boundary. Find the attenuation in dB/km for a ray suffering 10<sup>6</sup> reflections in a fiber length of 1km. Assume that there are no other losses.

 $(2 \times 10 = 20)$